

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/661,445	09/12/2003	Terry Karanikas	KARA-2798US2	7819
. 5409	7590 · 09/27/2006		EXAM	INER
SCHMEISER, OLSEN & WATTS			SAFAVI, MICHAEL	
22 CENTURY HILL DRIVE SUITE 302 LATHAM, NY 12110		• •	ART UNIT	PAPER NUMBER
			3673	

DATE MAILED: 09/27/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Advisory Action Before the Filing of an Appeal Brief

Application No. Applicant(s)		
10/661,445	KARANIKAS, TERRY	
Examiner	Art Unit	
M. Safavi	3673	

--The MAILING DATE of this communication appears on the cover sheet with the correspondence address --THE REPLY FILED 13 September 2006 FAILS TO PLACE THIS APPLICATION IN CONDITION FOR ALLOWANCE. 1. The reply was filed after a final rejection, but prior to or on the same day as filing a Notice of Appeal. To avoid abandonment of this application, applicant must timely file one of the following replies: (1) an amendment, affidavit, or other evidence, which places the application in condition for allowance; (2) a Notice of Appeal (with appeal fee) in compliance with 37 CFR 41.31; or (3) a Request for Continued Examination (RCE) in compliance with 37 CFR 1.114. The reply must be filed within one of the following time periods: The period for reply expires _____months from the mailing date of the final rejection. b) The period for reply expires on: (1) the mailing date of this Advisory Action, or (2) the date set forth in the final rejection, whichever is later. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of the final rejection. Examiner Note: If box 1 is checked, check either box (a) or (b). ONLY CHECK BOX (b) WHEN THE FIRST REPLY WAS FILED WITHIN TWO MONTHS OF THE FINAL REJECTION. See MPEP 706.07(f). Extensions of time may be obtained under 37 CFR 1.136(a). The date on which the petition under 37 CFR 1.136(a) and the appropriate extension fee have been filed is the date for purposes of determining the period of extension and the corresponding amount of the fee. The appropriate extension fee under 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened statutory period for reply originally set in the final Office action; or (2) as set forth in (b) above, if checked. Any reply received by the Office later than three months after the mailing date of the final rejection, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). NOTICE OF APPEAL 2. The Notice of Appeal was filed on __. A brief in compliance with 37 CFR 41.37 must be filed within two months of the date of filing the Notice of Appeal (37 CFR 41.37(a)), or any extension thereof (37 CFR 41.37(e)), to avoid dismissal of the appeal, Since a Notice of Appeal has been filed, any reply must be filed within the time period set forth in 37 CFR 41.37(a). **AMENDMENTS** 3. The proposed amendment(s) filed after a final rejection, but prior to the date of filing a brief, will not be entered because (a) They raise new issues that would require further consideration and/or search (see NOTE below); (b) They raise the issue of new matter (see NOTE below); (c) They are not deemed to place the application in better form for appeal by materially reducing or simplifying the issues for appeal: and/or (d) They present additional claims without canceling a corresponding number of finally rejected claims. NOTE: See attached sheet. (See 37 CFR 1.116 and 41.33(a)). 4. The amendments are not in compliance with 37 CFR 1.121. See attached Notice of Non-Compliant Amendment (PTOL-324). 5. Applicant's reply has overcome the following rejection(s): _ 6. Newly proposed or amended claim(s) _____ would be allowable if submitted in a separate, timely filed amendment canceling the non-allowable claim(s). 7. \square For purposes of appeal, the proposed amendment(s): a) \square will not be entered, or b) \square will be entered and an explanation of how the new or amended claims would be rejected is provided below or appended. The status of the claim(s) is (or will be) as follows: Claim(s) allowed: Claim(s) objected to: Claim(s) rejected: ____ Claim(s) withdrawn from consideration: _____. AFFIDAVIT OR OTHER EVIDENCE 8. The affidavit or other evidence filed after a final action, but before or on the date of filing a Notice of Appeal will not be entered because applicant failed to provide a showing of good and sufficient reasons why the affidavit or other evidence is necessary and was not earlier presented. See 37 CFR 1.116(e). 9. The affidavit or other evidence filed after the date of filing a Notice of Appeal, but prior to the date of filing a brief, will not be entered because the affidavit or other evidence failed to overcome all rejections under appeal and/or appellant fails to provide a showing a good and sufficient reasons why it is necessary and was not earlier presented. See 37 CFR 41.33(d)(1). 10. The affidavit or other evidence is entered. An explanation of the status of the claims after entry is below or attached. REQUEST FOR RECONSIDERATION/OTHER 11. The request for reconsideration has been considered but does NOT place the application in condition for allowance because: See attached sheet. 12. Note the attached Information Disclosure Statement(s), (PTO/SB/08) Paper No(s), 13. Other: ____.

Application/Control Number: 10/661,445

Art Unit: 3673

NOTE: Contd. Proposed change to claim 15 would require further consideration and possibly further search. Otherwise, why are proposed changes to line 14 of claim 15 being made at this point in prosecution? Proposed change to line 9 of claim 15 appears to broaden the scope of claim 15.

Box 11: Contd. Applicant's arguments to "irregularly shaped" have been reviewed but are not convincing. The specification had not originally set forth any specific reference to "irregularly shaped discreet veneer components". And, the specification does not and had not originally set forth any specific definition of "irregularly shaped discreet veneer components". As for "components stacked vertically from the ground surface up", Carvel '504 shows such as can be seen in Figs. 31 and 33, for example. And, Dial, Jr. 424 shows, as in Fig. 16 or 19, modules being placed at a lowest level along or within block openings 62, (thus horizontally supporting a plurality of components). The instant specification fails to set forth any definition of "from the ground surface up". In fact the specification as originally filed had not presented "stacked vertically from the ground surface up". What is shown by either of Carvel '504 and Dial. Jr. '424 serves to read upon "components stacked vertically from the ground surface up". Fig. 31 of Carvel shows a lowest most module along the bottom surface serving to read upon "from the ground surface up" while Dial, Jr. shows same in Fig. 19 and Fig. 16 of Dial, Jr. shows a lowest most module along the bottom of the panels. The specification presents the panels of the form as mounted upon "the ground" while further expressing that the "individual stones are placed along the bottom of at least one Application/Control Number: 10/661,445 Page 3

Art Unit: 3673

side panel". Such does not explicitly define the modules as necessarily touching the earth. Clearly, Carvel and Dial, Jr. each disclose their modules as "placed along the bottom of at least one side panel".

Any inquiry concerning this communication or earlier communications from the examiner should be directed to M. Safavi whose telephone number is (571) 272-7046. The examiner can normally be reached on Mon.-Thur., 8:30-5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patricia Engle can be reached on (571) 272-6660. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

M. Safavi September 21, 2006 MICHAEL SAFAVA PRIMARY EXAMA